



1200mm deep fiber optic corrugated pipe for security applications

Corrugated Innerduct Reels Colors and Identification Other Identification Options Standard colors available in: white, black, blue, green, red, orange, lilac, grey, yellow, brown, buff, terra cotta. Striping: Striping combinations are available in all colors in combinations of single, double, triple and quad stripes. See more on [americantechsupply](#)

```
.product-card-container{margin:0
-20px;position:relative;display:block}.product-card-container
.cmuipcm-content-cntr__base-info{min-height:unset}.product-card-container
merce-ui-image-wrapper__image-container .cico img{vertical-align:middle}.product-card-container
.cmuipcm-meta-data.cmuipcm-meta-data--hoverable{display:none}#b_results
.shoppingCollageAcfCarouselCard,#b_results
.shoppingCollageAcfGridCard{width:100%;height:auto}.big-height-product-card-container.shpclg-art
.product-card-content .cmuipcm-content-cntr__title{-webkit-line-clamp:2}.shpclg-art .product-card-content
.cmuipcm-content-cntr__title{-webkit-line-clamp:1}.product-card-hoverable-template{display:none}.shop-im
age-collage{display:-webkit-box;display:-webkit-flex;display:-moz-flex;display:-ms-flexbox;display:flex;-we
bkit-box-pack:justify;-ms-flex-pack:justify;justify-content:space-between;-webkit-box-align:stretch;-ms-flex-a
lign:stretch;align-items:stretch}.shop-image-collage+.shop-image-collage{margin-top:16px}.product-card-con
tent,.product-card-content .product-card-normal,.product-card-content .product-card-normal
merce-ui-product-card-medium__target-link{height:100%}.products-wrapper-slide{position:relative;min-heig
ht:200px}.products-wrapper-slide .b_overlay
.btn{height:48px;width:36px;top:50%;margin-top:-24px}.products-wrapper-slide .b_overlay .btn
.bg{background-color:unset;opacity:0}.products-wrapper-slide .b_overlay
.btn.acfdefaultchev.next{right:-18px!important}.products-wrapper-slide .b_overlay
.btn.acfdefaultchev.prev{left:-18px!important}.products-wrapper-slide
.slide{box-shadow:none!important;height:100%}.product-card-normal:focus,.product-card-normal:focus-visib
le{border-radius:16px} merce-ui-product-card-medium .cmuipcm-content-cntr .cmuipc-seller
.cico{border-radius:3px}.b_dark .products-wrapper-slide .b_slidebar .slide,.b_drk .products-wrapper-slide
.b_slidebar .slide{background-color:unset!important}body>
-product-card-hoverable-overlay{position:absolute;z-index:4;pointer-events:auto;opacity:0;overflow:visible;tr
ansition:opacity .15s ease-in-out}body> -product-card-hoverable-overlay.hoverable-visible{opacity:1}body>
-product-card-hoverable-overlay merce-ui-product-card-medium__target-link{min-height:100%}#bpage
.products-wrapper-slide .b_slidebar{padding-left:16px;padding-right:16px}#b_results
.product-card-container{margin:0}.ratingv2.snrnt{display:-webkit-box;display:-webkit-flex;display:-moz-flex;
display:-ms-flexbox;display:flex;flex-direction:row;gap:8px;align-items:center;color:#424242;line-height:22p
x;font-size:16px;position:relative;z-index:1}.ratingv2.snrnt.ratingHeader{gap:12px}.ratingv2.snrnt.ratingHead
er .rs-list{padding-bottom:0}.ratingv2.snrnt.ratingHeader
.rating-num{font-weight:400;font-size:56px;line-height:56px}.ratingv2.snrnt.ratingHeader
l{display:-webkit-box;display:-webkit-flex;display:-moz-flex;display:-ms-flexbox;display:flex;flex-direction:c
```



1200mm deep fiber optic corrugated pipe for security applications

olumn;gap:2px}.ratingv2.snrnt.ratingHeader
.review-cnt{font-size:14px;font-weight:400;line-height:20px;color:#707070}.ratingv2.snrnt
.rs-list{display:-webkit-box;display:-webkit-flex;display:-moz-flex;display:-ms-flexbox;display:flex;gap:4px;
height:22px;align-items:center;padding-bottom:2px}.ratingv2.snrnt .rs-list .rating-st,.ratingv2.snrnt .rs-list
.rating-ste,.ratingv2.snrnt .rs-list .rating-sth{width:16px;height:16px;background-size:16px
16px}.ratingv2.snrnt .rating-num{font-weight:600}.ratingv2.snrnt .review-cnt,.ratingv2.snrnt
.divider{font-weight:400}.ratingv2.snrnt.medium-rts{gap:12px;line-height:22px;font-size:16px}.ratingv2.snrnt
t.medium-rts .rs-list{height:22px}.ratingv2.snrnt.medium-rts .rs-list .rating-st,.ratingv2.snrnt.medium-rts
.rs-list .rating-ste,.ratingv2.snrnt.medium-rts .rs-list .rating-sth{width:16px;height:16px;background-size:16px
16px}.ratingv2.snrnt.small-rts{gap:4px;line-height:16px;font-size:12px}.ratingv2.snrnt.small-rts
.rs-list{height:16px;padding-bottom:2px}.ratingv2.snrnt.small-rts .rs-list .rating-st,.ratingv2.snrnt.small-rts
.rs-list .rating-ste,.ratingv2.snrnt.small-rts .rs-list .rating-sth{width:12px;height:12px;background-size:12px
12px}.ratingv2.snrnt .rs-list
.rating-st{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2240%22%20height%3D%22
40%22%20viewBox%3D%220%200%2040%2040%22%20fill%3D%22none%22%20xmlns%3D%22http%3
A%2F%2F%2F2000%2Fsvg%22%3E%0A%3Cpath%20d%3D%22M17.803%202.08544C18.7017%200.264
492%2021.2983%200.264485%2022.197%202.08544L27.0493%2011.9174L37.8996%2013.494C39.9091%
2013.786%2040.7115%2016.2556%2039.2574%2017.673L31.4061%2025.3261L33.2595%2036.1325C33.60
28%2038.1339%2031.5021%2039.6602%2029.7047%2038.7152L20%2033.6132L10.2952%2038.7152C8.4
9785%2039.6602%206.39713%2038.1339%206.74041%2036.1325L8.59385%2025.3261L0.742549%2017.6
73C-0.711565%2016.2556%200.0908267%2013.786%202.10037%2013.494L12.9506%2011.9174L17.803%
202.08544Z%22%20fill%3D%22%23EAA300%22%2F%3E%0A%3C%2Fsvg%3E%0A)}.ratingv2.snrnt
.rs-list
.rating-st.neutral-st{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2216%22%20height
%3D%2216%22%20viewBox%3D%220%200%2016%2016%22%20fill%3D%22none%22%20xmlns%3D%
22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%3Cpath%20d%3D%22M3.36595%2016C3.23027
%2016%203.11285%2015.9481%203.0137%2015.8442C2.91455%2015.7403%202.86497%2015.6146%202
.86497%2015.4669C2.86497%2015.4287%202.86758%2015.3986%202.8728%2015.3767L3.71037%2010.2
43L0.148728%206.60994C0.049576%206.50607%200%206.38305%200%206.2409C0%206.11515%200.04
17482%206.00034%200.125245%205.89646C0.208741%205.79258%200.310502%205.72971%200.430528
%205.70784L5.34638%204.96156L7.55382%200.287032C7.59556%200.199556%207.65558%200.131215
%207.73386%200.0820092C7.81213%200.0328037%207.89824%200.00546728%207.99217%200C8.08611
%200%208.17482%200.0246028%208.25832%200.0738083C8.34181%200.123014%208.40444%200.19408
9%208.44618%200.287032L10.6536%204.96156L15.5695%205.70784C15.6947%205.72971%2015.7965%
205.78985%2015.8748%205.88826C15.953%205.98667%2015.9948%206.10149%2016%206.2327C16%20
6.38579%2015.9504%206.51153%2015.8513%206.60994L12.2896%2010.243L13.1272%2015.3767C13.132
4%2015.3986%2013.135%2015.4287%2013.135%2015.4669C13.135%2015.6091%2013.0855%2015.7321
%2012.9863%2015.836C12.8871%2015.9399%2012.7697%2015.9918%2012.6341%2015.9918C12.5453%2
015.9918%2012.4671%2015.9727%2012.3992%2015.9344L8%2013.5069L3.60078%2015.9344C3.52772%
2015.9781%203.44945%2016%203.36595%2016Z%22%20fill%3D%22%23616161%22%2F%3E%0D%0A



1200mm deep fiber optic corrugated pipe for security applications

%3C%2Fsvg%3E%0D%0A)}.ratingv2.snrnt .rs-list

.rating-st.kumo-st{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2212%22%20height%3D%2213%22%20viewBox%3D%220%200%2012%2013%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%3Cpath%20d%3D%22M5.28347%202.51846C5.57692%201.92386%206.42479%201.92386%206.71825%202.51846L7.82997%204.77107L10.3159%205.13229C10.9721%205.22764%2011.2341%206.03402%2010.7592%206.49684L8.96043%208.25026L9.38507%2010.7261C9.49716%2011.3796%208.81122%2011.878%208.22431%2011.5695L6.00086%2010.4005L3.7774%2011.5695C3.19049%2011.878%202.50455%2011.3796%202.61664%2010.7261L3.04128%208.25026L1.24246%206.49684C0.767651%206.03402%201.02966%205.22764%201.68584%205.13229L4.17174%204.77107L5.28347%202.51846Z%22%20fill%3D%22%23242424%22%2F%3E%0D%0A%3C%2Fsvg%3E%0D%0A)}.ratingv2.snrnt .rs-list

.rating-ste{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2240%22%20height%3D%2240%22%20viewBox%3D%220%200%2040%2040%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0A%3Cpath%20d%3D%22M17.803%202.08544C18.7017%200.264492%2021.2983%200.264485%2022.197%202.08544L27.0493%2011.9174L37.8996%2013.494C39.9091%2013.786%2040.7115%2016.2556%2039.2574%2017.673L31.4061%2025.3261L33.2595%2036.1325C33.6028%2038.1339%2031.5021%2039.6602%2029.7047%2038.7152L20%2033.6132L10.2952%2038.7152C8.49785%2039.6602%206.39713%2038.1339%206.74041%2036.1325L8.59385%2025.3261L0.742549%2017.673C-0.711565%2016.2556%200.0908267%2013.786%202.10037%2013.494L12.9506%2011.9174L17.803%202.08544Z%22%20fill%3D%22%23E6E6E6%22%2F%3E%0A%3C%2Fsvg%3E%0A)}.ratingv2.snrnt .rs-list

.rating-ste.neutral-st{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2216%22%20height%3D%2216%22%20viewBox%3D%220%200%2016%2016%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%3Cpath%20d%3D%22M3.36595%2016C3.23027%2016%203.11285%2015.9481%203.0137%2015.8442C2.91455%2015.7403%202.86497%2015.6146%202.86497%2015.4669C2.86497%2015.4287%202.86758%2015.3986%202.8728%2015.3767L3.71037%2010.243L0.148728%206.60994C0.049576%206.50607%200%206.38305%200%206.2409C0%206.11515%200.0417482%206.00034%200.125245%205.89646C0.208741%205.79258%200.310502%205.72971%200.430528%205.70784L5.34638%204.96156L7.55382%200.287032C7.59556%200.199556%207.65558%200.131215%207.73386%200.0820092C7.81213%200.0328037%207.89824%200.00546728%207.99217%200C8.08611%200%208.17482%200.0246028%208.25832%200.0738083C8.34181%200.123014%208.40444%200.194089%208.44618%200.287032L10.6536%204.96156L15.5695%205.70784C15.6947%205.72971%2015.7965%205.78985%2015.8748%205.88826C15.953%205.98667%2015.9948%206.10149%2016%206.2327C16%206.38579%2015.9504%206.51153%2015.8513%206.60994L12.2896%2010.243L13.1272%2015.3767C13.1324%2015.3986%2013.135%2015.4287%2013.135%2015.4669C13.135%2015.6091%2013.0855%2015.7321%2012.9863%2015.836C12.8871%2015.9399%2012.7697%2015.9918%2012.6341%2015.9918C12.5453%2015.9918%2012.4671%2015.9727%2012.3992%2015.9344L8%2013.5069L3.60078%2015.9344C3.52772%2015.9781%203.44945%2016%203.36595%2016Z%22%20fill%3D%22%23E6E6E6%22%2F%3E%0D%0A%3C%2Fsvg%3E%0D%0A)}.ratingv2.snrnt .rs-list

.rating-ste.kumo-st{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2212%22%20height

1200mm deep fiber optic corrugated pipe for security applications

System. Optiroad COD opens new era of telecommunication backbone with its built-in ...

Give your critical fiber optic cables safe passage by installing a length of corrugated fiber innerduct from Discount Low Voltage. The high-density polyethylene tubing provides maximum protection for your ...

Optiroad COD has very distinctive differences from the conventional telecommunication PVC ducting System. Optiroad COD opens new era of ...

Their corrugated exterior provides enhanced strength and flexibility, while the smooth interior facilitates easy cable installation. These ducts are essential for safeguarding fiber optic and other ...

Riser Duct or Riser Innerduct is a flexible, non-metallic, corrugated raceway used for effective interior cable and fiber optic management. Riser meets UL- (1666) standards safety test for flame ...

This chart explains the size of conduit you need for the most common assemblies and installations. Keep in mind that conduit size information in this tutorial is specific to our line of QuickTreX pre ...

Its lightweight, flexible corrugated design makes it easy to install. The corrugations also assure excellent crush resistance for long term protection of delicate optical fibers.

With its superior flexibility, crush resistance, and temperature regulation properties, the corrugated fiber optic cable innerduct serves as an indispensable element in the protection and longevity of fiber optic ...

Easy insertion of optic fiber cables COD facilitates easy insertion of cables up to the maximum-coiled length owing to perfect alignment of inner ducts and less friction, as it has no connections.

Browse wire loom tubing designed for cable management and protection. Ideal for automotive, home, and industrial applications.

