

Suggestions for Solving the Overcapacity of Optical Cable Production

The following article focusses on the manufacturing of optical fiber cables with a special focus on the measuring technique used for process optimization and quality assurance.

In the context of a massively parallel electrical supply power constrained system (such as a submarine optical cable), we demonstrate a 19% improvement in achievable cable capacity.

This work proposed a cable production scheduling optimization method based on an ant colony algorithm, aiming at solving the problems of the inefficiency and underutilization of resources ...

Explore expert tips and prioritize factors like cable density, installation time, and seamless integration to choose the right solution for your specific needs.

As the demands and challenges of optical cable maintenance become more prominent, this article explores several innovative strategies to address key challenges in optical cable ...

It is therefore essential to choose the right optical fibre cables to ensure the network has the longest possible lifespan as well as to ensure its ability to constantly meet high-speed requirements.

A quality fiber optic cable manufacturing process adds the proper strength elements and a protective polyethylene outer jacket that together protect the optical fiber from the environment and excessive ...

As networks evolve, the choices in fiber optic cable solutions can quickly become overwhelming - leaving engineers, procurement managers, and technical professionals wondering ...

As 5G networks, hyperscale data centers, and smart city infrastructure drive unprecedented demand, manufacturers must balance mass production with stringent quality ...

While our full range of products and the customers of these products have benefited from this expertise, our project activity and specific designs to ...

Overhead Optical Fibre Networks
What Is Fibre elongation?
How Can We Preserve Fibres from Excessive Stress?
It is important to pay attention to the various tests carried out on the cables you choose. Tensile tests are performed on the cable to measure the maximum tension that the cable can withstand, to check the fibre elongation level and to measure the attenuation during these tests. In addition, the MAT and MOT values must be respected to avoid fibre ...
See more on acome #b_results li.b_ans.b_mop.b_mopb,#b_results li.b_ans.b_nonfirsttopb{border-radius:6px;box-shadow:0 0 0 1px

Suggestions for Solving the Overcapacity of Optical Cable Production

```
rgba(0,0,0,.05);margin-top:12px;margin-bottom:10px;padding:15px 19px 10px)#b_results
li.b_ans.b_mop.b_mopb .b_sideBleed{margin-left:-19px;margin-right:-19px)#b_results
.b_vidAns{border-radius:6px;box-shadow:0 0 0 1px rgba(0,0,0,.05);padding:16px
20px;gap:10px;background:#fff}@charset "UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium)
0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf
.mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results
#serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf
.vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf
.vrhtpc{border-radius:var(--mai-smtc-corner-card-default)}#b_results #serpvidans.vsacf .mmlist
.mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0)#b_results
#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);heig
ht:auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-car
d-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
.mc_vtvc_meta_row_channel::before{content:" . "}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}#serpvidans.vsacf.vsa
.vsb_tr_c .vsb_tr_t,#serpvidans.vsacf:not(.vsasa)
.b_title{display:none}#serpvidans.vsacf:not(.vsasa)>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)
.expbody>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)>#ans_ss_dlg+.b_title,#serpvidans.vsacf:not(.vsasa)
.expbody>#ans_ss_dlg+.b_title{display:block}.vsacf .b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle-1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts .mc_bc
ems{display:none}#serpvidans.vsacf a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf
.va_tt .vsb_tr_chd .mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;position:absolute;bottom:0;background:linear-gradient(180deg,var(--bing-smt
c-background-ctrl-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}.vsacf
.va_tt a.vsb_tr_t{padding:0 0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc .mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font-size:14px;line-height:20px;display:unset}#serpvidans.vsacf .va_tt .b_sldrp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.vsa
cf .b_title:not(:first-child):has(+div)
.mmtitle{font:var(--bing-smtc-text-global-body-2-alt-strong)}#serpvidans.vsacf .revqpm+.va_tt
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
.mm_vrc{padding-top:0}#serpvidans .va_tt .slide,#serpvidans .mc_vtvc_th,#serpvidans .mc_vtvc_th
.cico{border-radius:var(--mai-smtc-corner-card-default)!important}#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
nent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsaf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsaf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{background-color:unset}.b_CompactExpandText{display:inline}#serpvidans
.b_module_expansion_control{padding-bottom:0}#serpvidans .b_module_expansion_control
.b_CompactExpansion{height:40px;line-height:40px;bottom:-6px;padding-left:20px;padding-right:20px;bord
er-radius:20px;z-index:6}#serpvidans .b_module_expansion_control
.b_CompactExpansionBtnText{line-height:40px}#serpvidans .b_title .b_topTitle,#serpvidans .mc_vtvc
.mc_vtvc_title{margin-bottom:0}#serpvidans
.mc_vtvc_meta_pubdate{padding-bottom:0}#serpvidans{position:relative;--va-extbody-padding:0 0
24px;--va-ptop:0px;--va-pbop:0px}#serpvidans
.extbody{overflow-x:visible!important;overflow-y:clip!important;box-sizing:border-box;padding:var(--va-ex
tbody-padding)}#serpvidans.ssize .extbody{max-height:calc(375px - var(--va-ptop) -
var(--va-pbop))}#serpvidans.msize .extbody{max-height:calc(535px - var(--va-ptop) -
var(--va-pbop))}#serpvidans.lsize .extbody{min-height:536px}#serpvidans .b_removeShadow
.extbody{max-height:unset}#serpvidans .b_removeShadow .extbody .grad,#serpvidans .b_removeShadow
.extbody .expept{display:none}#b_results
.b_ans.b_vidAns{--va-ptop:16px;--va-pbop:0px;--va-pleft:20px;--va-pright:20px;border-radius:6px;box-shado
w:0 0 0 1px rgba(0,0,0,.05);padding:var(--va-ptop) var(--va-pright) var(--va-pbop)}
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
var(--va-pleft);margin-bottom:30px;gap:10px}#b_results .b_ans.b_vidAns .b_moreLink{padding:9px 0 0 0}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc .mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px; line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area { height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock { height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; } .mc_vtvc{background-color:var(--smtc-background-card-on-primary-default-rest);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshadow{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{color:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus-visible::after{outline:2px solid var(--smtc-ctrl-focus-outer-stroke);width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{background-color:#d5d5d5;position:relative}.mc_vtvc_th .cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:hidden;color:#111;height:calc(3*18px);line-height:18px}.mc_vtvc_title a{display:inline-block;color:#111}.mc_vtvc_title a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;margin-top:-40px;padding:12px 8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_vtvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh .mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans .b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0 16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center}.mc-vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-block;padding:2px 8px;font:11px/14px Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110px}.isvctrl .isv .mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_IRight .b_ILeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px 8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;padding:0 16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center;display:table-cell}.vt_text.b_IRight .b_ILeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px 8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:c
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
ontain;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc
_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:no
ne}.vt_onhv .mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc .vtmu,.mc_vtvc .vtpl{bottom:163px}.vsarf .mc_vtvc
.vtmu,.vsarf .mc_vtvc .vtpl{bottom:122px}.svarh #mmcar .mc_vtvc .vtmu,.svarh #mmcar .mc_vtvc
.vtpl{bottom:137px}.svarht #mmcar .mc_vtvc .vtmu,.svarht #mmcar .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width
%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22
none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Cr
ect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%
20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%201
0.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%202
2.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.
2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2
F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist .mc_vtvc{margin:10px 1px 0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless .mmlist .mc_vtvc_con_rc{height:112px}.mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;c
olor:unset}.mmlist .mc_vtvc_meta_row{font-size:13px}.mmlist .mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist .mc_vtvc .vtmu,.mmlist .mc_vtvc
.vtpl{bottom:8px}.cardless .mmlist .mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th .cico,.cardless.mmlist .mc_vtvc_th div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist .mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc:hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
tvc_meta_block a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before{content:">
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov .wkmt .tbc_tt{display:none}.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0 16px 0 0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w .cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u .mm_vidch_th_c{overflow:visible}.dg_u .mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf .mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf .mc_vtvc .mc_vtvc_meta_w
.mc_vtvc_title,.vsarf .mc_vtvc .mc_vtvc_meta_w .mc_vtvc_title strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w .mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px;background:
url(
MVEX////////////////////9/gMdvAAACnRSTIMAETNEVWaImbvuo4D1oAAAAB9JREFUCB
1jmMoABKuaQcSqQhCxKgFGgLhNQIkpQAwA8zkLyQA16F0AAAAASUVORK5CYII=)}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png) -172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{ba
ckground-color:rgba(0,0,0,.75);padding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpviansrr .mc_vtvc
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr 1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0} @media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ececec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:var(--bing-smtc-text-style-d
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
default-regular-font-family);font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard
.video_metadata .actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard
.video_summary,#serpvidansrr #vidans2 .b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2
.b_videocard .videoPlayer .vtbc{right:0}.vrhc line.nhvpv .pffvi,.vrhc line.nhvpv[data-tps="S"] .pffvt,.vrhc
line.nhvpv[data-tps="M"] .pffvt,.vrhc line.nhvpv[data-tps="L"] .pffvt{display:inline-flex}.vrhc line.nhvpv
.vrhc.pffv .vrhol{display:none}.vrhc line.nhvpv .vrhc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all
var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhc.pffv .vrhol{display:none}.hvpv.h5s .vrhc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhc
.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhc .vrhol.hide,.vrhc .vrhol
.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhot div{display:inline-block}.vrhot
nt{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.75);padding:2px
8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol .vrhot .vsb_tr_chd .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb .nt{width:0;background:#fff}.vpb
nt.test{display:none}.vpb.back{background-color:#999}.vrhc
.vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol nt{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol nt
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol nt .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px 7px 9px 7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle .vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/ffZxBXEIP9WYOO0jhTaEl
yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NoslR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}.vrhc line .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhtc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPjL-ofEuxJ4.gif) center center no-repeat}.vrhc line .vrhtc
.vrhi,.vrhc.popout .vrhtc .vrhi,.vrhc.mousefollow .vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc
line,.vrhc.mousefollow{border-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.p
opout,.vrhc.mousefollow{z-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px rgba(0,0,0,.2)}.vrhc
line{z-index:1;margin:0}.vrhc.popout,.vrhc line{position:absolute;top:0}.vrhc.popout{border:1px solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcpc{position:relative;top:0;left:0;display:table-row}.vrhcpc
.vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes
vh_fadein{from{opacity:0}to{opacity:1}}.vrhc.not(.hide){animation:vh_fadein 250ms}.vrhc line
img{color:transparent}.vrhc
line.fullsize{height:100%}.vrhc,.vrhc: hover,.vrhc: link,.vrhc: active,.vrhc: visited{color:#000;text-decoration:no
ne}.vrhc.vrh_clc{cursor:pointer}.a.hover-anchor{display:block;height:100%;width:100%;text-decoration:none
}.vrhstat{height:0;overflow:hidden}.grad{width:100%;height:24px;position:absolute;bottom:0;background:lin
ear-gradient(180deg,rgba(255,255,255,0) 0%,#fff 100%)}.b_drk .grad,.b_dark
.grad{background:linear-gradient(180deg,rgba(41,40,39,0) 0%,#292827
95%)}.b_module_expansion_control{padding-bottom:4px}.b_module_expansion
```

Suggestions for Solving the Overcapacity of Optical Cable Production

```
.b_expansion_wrapper{border-top:1px
#cdcdcd}.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper{border-top:0}.b_module_expansion
.b_expmob_rc{border-top:0}.b_module_expansion .b_expansion_wrapper,.b_module_expansion
.b_offpage_expansion a,#b_results .b_module_expansion .b_offpage_expansion
a{color:#666}.b_module_expansion .b_expansion_wrapper
.sv_ch{fill:#666}.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper,.b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a,#b_results .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#666}.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper .sv_ch{fill:#666}#b_context .b_module_expansion
.b_expansion_wrapper{border-top:1px solid #ebebeb}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper{border-top:0}#b_pole .b_module_expansion .b_offpage_expansion
a{color:#666}#b_pole .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#666}#b_context .b_module_expansion .b_offpage_expansion
a{color:#666}#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper,#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#767676}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion .b_expansion_wrapper
.sv_ch{fill:#767676}.b_btnContainer{width:100%;height:46px;border-radius:0 6px 6px
0;position:absolute;bottom:-20px}.b_CompactExpansion:active{background-color:#00526b}.b_CompactExpansion:
hover{background-color:#106ebe;cursor:pointer}.b_CompactExpansion{background-color:#106ebe;color:#fff;border-radius:16px;
height:30px}.b_CompactExpansion{display:inline-block;line-height:30px;text-align:center;padding-left:16px;padding-right:16px;
position:relative;left:50%;transform:translateX(-50%);bottom:-11px;z-index:4;pointer-events:auto}html[dir="rtl"]
.b_CompactExpansion{transform:translateX(50%)}.b_CompactExpansion
.b_arrow{margin-left:7px;margin-bottom:-1.75px;display:inline-block;height:.75em}.b_algo_group
.b_CompactExpansion
.b_arrow{margin-left:3px;height:7px;margin-bottom:0;width:12px}.b_CompactExpansionBtnText{font-family:inherit;font-style:normal;font-weight:400;font-size:13px;line-height:20px;color:#fff;display:inline-block}
Videos of Suggestions for Solving The Overcapacity Of Optical Cable ...more videosWatch video16:33Inside a Massive Fiber Optic Cable Factory - How Millions of Meters Are Produced Fact factory official"s389 views4 months agoWatch video1:20Full Process: How Optical Fiber Cables Are Made | Sheathing Production Linee Charon193 views1 month agoWatch video3:49Daily Cleaning & Maintenance Tips for Optical Cable Extruder | Improve Cable Production Efficiency Wirecan Technology4.3K views9 months agoWatch full videoSee moreAmphenol Network SolutionsExpert Tips for Solving Fiber Cable Management ChallengesExplore expert tips and prioritize factors like cable density, installation time, and seamless integration to choose the right solution for your specific needs.
```

Suggestions for Solving the Overcapacity of Optical Cable Production

While our full range of products and the customers of these products have benefited from this expertise, our project activity and specific designs to overcome challenges with fiber optic ...

Web: <https://maxtools.co.za>

